

Diese Preisliste gilt ab dem 01.01.2015

Die Preise verstehen sich zuzüglich der gesetzlichen MWST. Preisänderungen und Irrtümer sind vorbehalten.

Artikel-Nr.	VK Euro	Beschreibung
11.062.39.005-00	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 0.5 µm
11.062.39.005-00	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 0.5 µm
11.062.39.005-01	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 0.5 µm poros., NC
11.062.39.005-01	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 0.5 µm poros., NC
11.062.39.020-00	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 2 µm
11.062.39.050-00	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 5 µm
11.062.39.050-00	3,66	Frit, SS, 0.062" diam., 0.039" thickn., 5 µm
11.062.62.005-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 0.5 µm
11.062.62.005-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 0.5 µm
11.062.62.020-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 2 µm
11.062.62.050-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 5 µm
11.062.62.100-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 10 µm
11.062.62.100-00	3,66	Frit, SS, 0.062" diam., 0.062" thickn., 10 µm
11.065.39.005-01	3,66	Frit, SS, 0.065" diam., 0.039" thickn., 0.5 µm poros., NC
11.065.39.005-01	3,66	Frit, SS, 0.065" diam., 0.039" thickn., 0.5 µm poros., NC
11.066.031.020-0	3,66	Frit, SS, 0.066" diam., 0.031" thickn., 2 µm
11.066.031.020-0	3,66	Frit, SS, 0.066" diam., 0.031" thickn., 2 µm
11.082.62.020-00	3,66	Frit, SS, 0.082" diam., 0.062" thickn., 2 µm
11.093.62.005-00	3,66	Frit, SS, 0.093" diam., 0.062" thickn., 0.5 µm
11.093.62.020-00	3,66	Frit, SS, 0.093" diam., 0.062" thickn., 2 µm
11.093.62.050-00	3,66	Frit, SS, 0.093" diam., 0.062" thickn., 5 µm
11.093.62.100-00	3,66	Frit, SS, 0.093" diam., 0.062" thickn., 10 µm
11.1.62.005-00	5,63	Frit, SS, 1.0" diam., 0.062" thickn., 0.5 µm
11.1.62.020-00	5,63	Frit, SS, 1.0" diam., 0.062" thickn., 2 µm
11.1.62.050-00	5,63	Frit, SS, 1.0" diam., 0.062" thickn., 5 µm
11.1.62.100-00	5,63	Frit, SS, 1.0" diam., 0.062" thickn., 10 µm
11.125.39.005-00	3,66	Frit, SS, 0.125" diam., 0.039" thickn., 0.5 µm
11.125.39.020-00	3,66	Frit, SS, 0.125" diam., 0.039" thickn., 2 µm
11.125.39.050-00	3,66	Frit, SS, 0.125" diam., 0.039" thickn., 5 µm
11.125.39.050-00	3,66	Frit, SS, 0.125" diam., 0.039" thickn., 5 µm
11.125.39.100-00	3,66	Frit, SS, 0.125" diam., 0.039" thickn., 10 µm
11.125.62.005-00	3,66	Frit, SS, 0.125" diam., 0.062" thickn., 0.5 µm
11.125.62.020-00	3,66	Frit, SS, 0.125" diam., 0.062" thickn., 2 µm
11.125.62.050-00	3,66	Frit, SS, 0.125" diam., 0.062" thickn., 5 µm
11.125.62.100-00	3,66	Frit, SS, 0.125" diam., 0.062" thickn., 10 µm
11.156.39.020-00	3,66	Frit, SS, 0.156" diam., 0.039" thickn., 2 µm
11.156.62.005-00	3,66	Frit, SS, 0.156" diam., 0.062" thickn., 0.5 µm
11.156.62.020-00	3,66	Frit, SS, 0.156" diam., 0.062" thickn., 2 µm
11.181.62.005-00	3,66	Frit, SS, 0.181" diam., 0.062" thickn., 0.5 µm
11.181.62.020-00	3,66	Frit, SS, 0.181" diam., 0.062" thickn., 2 µm
11.188.62.005-00	3,66	Frit, SS, 0.188" diam., 0.062" thickn. 0.5 µm
11.188.62.020-00	3,66	Frit, SS, 0.188" diam., 0.062" thickn., 2 µm
11.188.62.050-00	3,66	Frit, SS, 0.188" diam., 0.062" thickn., 5 µm
11.188.62.100-00	3,66	Frit, SS, 0.188" diam., 0.062" thickn., 10 µm
11.197.39.005-00	3,66	Frit, SS, 0.197" diam., 0.039" thickn., 0.5 µm
11.205.59.020-00	3,66	Frit, SS, 0.205" diam., 0.059" thickn., 2 µm
11.250.39.001-00	3,66	Frit, SS, 0.250" diam., 0.039" thickn., 0.1 µm
11.250.39.005-00	3,66	Frit, SS, 0.250" diam., 0.039" thickn., 0.5 µm
11.250.39.020-00	3,66	Frit, SS, 0.250" diam., 0.039" thickn., 2 µm
11.250.39.050-00	3,66	Frit, SS, 0.250" diam., 0.039" thickn., 5 µm
11.250.39.100-00	3,66	Frit, SS, 0.250" diam., 0.039" thickn., 10 µm
11.250.62.005-00	3,66	Frit, SS, 0.250" diam., 0.062" thickn., 0.5 µm
11.250.62.020-00	3,66	Frit, SS, 0.250" diam., 0.062" thickn., 2 µm
11.250.62.050-00	3,66	Frit, SS, 0.250" diam., 0.062" thickn., 5 µm
11.250.62.100-00	3,66	Frit, SS, 0.250" diam., 0.062" thickn., 10 µm
11.375.39.005-00	5,16	Frit, SS, 0.375" diam., 0.039" thickn., 0.5 µm
11.375.39.020-00	5,16	Frit, SS, 0.375" diam., 0.039" thickn., 2 µm
11.375.62.020-00	5,16	Frit, SS, 0.375" diam., 0.062" thickn., 2 µm
11.500.62.005-00	5,16	Frit, SS, 0.500" diam., 0.062" thickn., 0.5 µm
11.500.62.020-00	5,16	Frit, SS, 0.500" diam., 0.062" thickn., 2 µm
11.500.62.050-00	5,16	Frit, SS, 0.500" diam., 0.062" thickn., 5 µm
11.500.62.100-01	4,13	Frit, SS, 0.500" diam., 0.062" thickn., 10 µm, NC

Artikel-Nr.	VK Euro	Beschreibung
11.750.62.020-00	4,88	Frit, SS, 0.750" diam., 0.062" thickn., 2 µm
11.750.62.050-00	4,88	Frit, SS, 0.750" diam., 0.062" thickn., 5 µm
11.750.62.100-00	4,88	Frit, SS, 0.750" diam., 0.062" thickn., 10 µm
111.250.078-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.078" ID, 0.062" thickn., 0.5 µm po
111.250.078-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.078" ID, 0.062" thickn., 0.5 µm poros.
111.250.078-020	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.078" ID, 0.062" thickn., 2 µm poros.
111.250.125-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.125" ID, 0.062" thickn., 0.5 µm poros.
111.250.125-020	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.125" ID, 0.062" thickn., 2 µm poros.
111.250.153-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.153" ID, 0.062" thickn., 2 µm poros.
111.250.153-020	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.153" ID, 0.062" thickn., 2 µm poros.
111.250.181-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.181" ID, 0.062" thickn., 0.5 µm poros.
111.250.181-020	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.181" ID, 0.062" thickn., 2 µm poros.
112.250.181-005	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.181" ID, 0.032" thickn., 0.5 µm poros.
112.250.181-020	9,38	Frit, SS, PEEK-encased, 0.25" OD, 0.181" ID, 0.032" thickn., 2 µm poros.
113.118.038-005	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.038" ID, 0.028" thickn., 0.5 µm poros.
113.118.038-020	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.038" ID, 0.028" thickn., 2 µm poros.
113.118.038-050	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.038" ID, 0.028" thickn., 5 µm poros.
113.118.077-005	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.077" ID, 0.028" thickn., 0.5 µm poros.
113.118.077-020	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.077" ID, 0.028" thickn., 2 µm poros.
113.118.077-050	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.077" ID, 0.028" thickn., 5 µm por
113.118.077-050	9,38	Frit, SS, PEEK-encased, 0.118" OD, 0.077" ID, 0.028" thickn., 5 µm poros.
113.260.173.050	10,31	Frit, SS, PEEK-encased Merck Hibar, .260" diam., .173" ID, 5 µm poros.
115.250.125.005	9,38	Frit, SS, Kel-F-encased, 0.25" OD, 0.125" ID, 0.032" thickn., 0.5 µm poros.
115.250.153.005	9,38	Frit, SS, Kel-F-encased, 0.25" OD, 0.153" ID, 0.032" thickn., 0.5 µm poros.
115.250.153.020	9,38	Frit, SS, Kel-F-encased, 0.25" OD, 0.153" ID, 0.032" thickn., 2 µm poros.
12.066.31.005-00	6,56	Frit, Ti, .066" diam., .31" thickn., 0.5 µm poros.
12.066.31.020-00	6,56	Frit, Ti, .066" diam., .31" thickn., 2 µm poros.
12.188.62.005-00	7,50	Frit, Ti, 0.188" diam., 0.062" thickn., 0.5 µm porosity
12.188.62.020-00	7,50	Frit, Ti, 0.188" diam., 0.062" thickn., 2 µm
12.188.62.050-00	7,50	Frit, Ti, 0.188" diam., 0.062" thickn., 5 µm
12.250.39.005-00	8,25	Frit, Ti, 0.250" dia., 0.039" thickn., 0.5 µm
12.250.39.020-00	8,25	Frit, Ti, 0.250" diam., 0.039" thickn., 2 µm
12.375.62.050-00	10,31	Frit, Ti, 0.375" diam., 0.062" thickn., 5 µm
121.250.125-005	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.125" ID, 0.062" thickn., 0.5 µm poros.
121.250.125-020	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.125" ID, 0.062" thickn., 2 µm poros.
121.250.153-005	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.153" ID, 0.062" thickn., 0.5 µm poros.
121.250.153-020	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.153" ID, 0.062" thickn., 2 µm poros.
121.250.181-005	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.181" ID, 0.062" thickn., 0.5 µm poros.
121.250.181-020	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.181" ID, 0.062" thickn., 2 µm poros.
121.250.188-050	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.188" ID, 0.062" thickn. 5 µm poros
121.250.188-100	11,25	Frit, Ti, PEEK-encased, 0.25" OD, 0.188" ID, 0.062" thickn. 10 µm poros
13.205.39.005-00	7,50	Frit, HastC, 0.205" diam., 0.039" thickn., 0.5 µm porosity
13.205.39.005-01	7,50	Frit, HastC, 0.205" diam., 0.039" thickn., 0.5 µm porosity, no chamfer
13.205.39.020-00	7,50	Frit, HastC, 0.205" diam., 0.039" thickn., 2 µm porosity
13.250.39.020-00	7,50	Frit, HastC, 0.250" diam., 0.039" thickn., 2 µm porosity
14.107.50.002-01	#WERT!	Frit, PoroMet, 107 mm diam., 50 mm thickn., 2 µm, lasercut
14.24.17.005-00	#WERT!	Frit, PoroMet, 24 mm diam., 1,7 mm thickn., 5 µm
14.24.19.300-00	#WERT!	Frit, PoroMet, 24 mm diam., 1,9 mm thickn., 300 µm
14.54.17.002-00	#WERT!	Frit, PoroMet, 54 mm diam., 1,7 mm thickn., 2 µm
14.54.19.002-00	#WERT!	Frit, PoroMet, 54 mm diam., 1,9 mm thickn., 2 µm
14.54.50.002-00	#WERT!	Frit, PoroMet, 54 mm diam., 50 mm thickn., 2 µm
14.54.50.002-01	#WERT!	Frit, PoroMet, 54 mm diam., 50 mm thickn., 2 µm, lasercut
14.83.50.002-00	#WERT!	Frit, PoroMet, 83 mm diam., 50 mm thickn., 5 µm
16.062.32.050	13,50	Frit, PEEK, 0.062" diam., 0.032" thickn., 5 µm poros.
16.188.62.050	15,53	Frit, PEEK, 0.188" diam., 0.062" thickn., 5 µm poros.
16.188.62.100	15,53	Frit, PEEK, 0.188" OD, 0.062" thickn., 10 µm pores.
161.200.102.050	28,35	Frit, PEEK, PEEK-encased, 0.2" OD 0.102" ID, 5 µm pores.
161.250.188.020	23,63	Frit, PEEK, PEEK-encased, 0.25" OD 0.188" ID, 2 µm pores.
161.250.188.050	19,58	Frit, PEEK, PEEK-encased, 0.25" OD 0.188" ID, 5 µm pores.
161.250.188.100	16,88	Frit, PEEK, PEEK-encased, 0.25" OD 0.188" ID, 10 µm pores.
161.375.312.050	28,35	Frit, PEEK, PEEK-encased, 0.375" diam., 0.312" ID, 5 µm poros.
220.375.1-020.1	27,19	Filter, SS, mobile phase 2 µm, fittings for 1/16"
220.375.1-020.2	27,19	Filter, SS, mobile phase 2 µm, fittings for 1/8"
220.375.1-020.3	27,19	Filter, SS, mobile phase 2 µm, tripod tubing adapter

Artikel-Nr.	VK Euro	Beschreibung
220.375.1-100.1	27,19	Filter, SS, mobile phase 10 µm, fittings for 1/16"
220.375.1-100.2	27,19	Filter, SS, mobile phase 10 µm, fittings for 1/8"
220.375.1-100.3	27,19	Filter, SS, mobile phase 10 µm, tripod tubing adapter
220.375.1-200.1	27,19	Filter, SS, mobile phase 20 µm, fittings for 1/16"
220.375.1-200.2	27,19	Filter, SS, mobile phase 20 µm, fittings for 1/8"
220.375.1-200.3	27,19	Filter, SS, mobile phase 20 µm, tripod tubing adapter
221.375.1-02	36,00	Solvent Filter, SS, .375" OD x 1" long, 1/16" stem, 2 µm poros.
221.375.1-05	36,00	Solvent Filter, SS, .375" OD x 1" long, 1/16" stem, 5 µm poros.
221.375.1-10	36,00	Solvent Filter, SS, .375" OD x 1" long, 1/16" stem, 10 µm poros.
221.375.63-02	36,00	Solvent Filter, SS, .375" OD x 0.63" long, 1/16" stem, 2 µm poros.
221.375.63-05	36,00	Solvent Filter, SS, .375" OD x 0.63" long, 1/16" stem, 5 µm poros.
221.375.63-10	36,00	Solvent Filter, SS, .375" OD x 0.63" long, 1/16" stem, 10 µm poros.
221.500.1-02	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/16" stem, 2 µm poros.
221.500.1-05	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/16" stem, 5 µm poros.
221.500.1-10	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/16" stem, 10 µm poros.
222.500.1-02	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/8" stem, 2 µm poros.
222.500.1-05	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/8" stem, 5 µm poros.
222.500.1-10	38,00	Solvent Filter, SS, .500" OD x 1" long, 1/8" stem, 10 µm poros.
222.680.1-02	40,00	Solvent Filter, SS, .68" OD x 1" long, 1/8" stem, 2 µm poros.
222.680.1-05	40,00	Solvent Filter, SS, .68" OD x 1" long, 1/8" stem, 5 µm poros.
222.680.1-10	40,00	Solvent Filter, SS, .68" OD x 1" long, 1/8" stem, 10 µm poros.
225.375.1-02	36,00	Solvent Filter, SS, .375" OD x 1" long, internal thread for 1/8" OD tube, 2 µm poros.
225.375.1-05	36,00	Solvent Filter, SS, .375" OD x 1" long, internal thread for 1/8" OD tube, 5 µm poros.
225.375.1-10	36,00	Solvent Filter, SS, .375" OD x 1" long, internal thread for 1/8" OD tube, 10 µm poros.
225.375.63-02	36,00	Solvent Filter, SS, .375" OD x 0.63" long, internal thread for 1/8" OD tube, 2 µm poros.
225.375.63-05	36,00	Solvent Filter, SS, .375" OD x 0.63" long, internal thread for 1/8" OD tube, 5 µm poros.
225.375.63-10	36,00	Solvent Filter, SS, .375" OD x 0.63" long, internal thread for 1/8" OD tube, 10 µm poros.
225.500.1-02	38,00	Solvent Filter, SS, .500" OD x 1" long, internal thread for 1/8" OD tube, 2 µm poros.
225.500.1-05	38,00	Solvent Filter, SS, .500" OD x 1" long, internal thread for 1/8" OD tube, 5 µm poros.
225.500.1-10	38,00	Solvent Filter, SS, .500" OD x 1" long, internal thread for 1/8" OD tube, 10 µm poros.
225.680.1-02	40,00	Solvent Filter, SS, .68" OD x 1" long, internal thread for 1/8" OD tube, 2 µm poros.
225.680.1-05	40,00	Solvent Filter, SS, .68" OD x 1" long, internal thread for 1/8" OD tube, 5 µm poros.
225.680.1-10	40,00	Solvent Filter, SS, .68" OD x 1" long, internal thread for 1/8" OD tube, 10 µm poros.
227.1.0.188.020	92,00	Inline-filter, PEEK, female connector, complete, PEEK frit 2 µm
227.1.0.188.050	92,00	Inline-filter, PEEK, female connector, complete, PEEK frit 5 µm
227.1.0.188.100	92,00	Inline-filter, PEEK, female connector, complete, PEEK frit 10 µm
227.1.1.000	66,00	Inline-filter, PEEK, female connector, nut only
227.1.2.000	50,00	Inline-filter, PEEK, female connector, body only
227.1.6.005	19,00	Col-Guard, Inline-filter, SS 0.5 µm
227.1.6.020	19,00	Col-Guard, Inline-filter, SS 2 µm
227.1.7.005	19,00	Col-Guard, Inline-filter, Ti 0.5 µm
227.1.7.020	19,00	Col-Guard, Inline-filter, Ti 2 µm
227.6.0.000	59,40	Inline-filter, SS, complete body only
227.6.0.077.020	168,75	Inline-filter, SS, complete, SS frit 0.077", PEEK encased, 2 µm
227.6.0.077.050	168,75	Inline-filter, SS, complete, SS frit 0.077", PEEK encased, 5 µm
227.6.0.125.020	168,75	Inline-filter, SS, complete, SS frit 0.125", PEEK encased, 2 µm
227.6.0.125.050	168,75	Inline-filter, SS, complete, SS frit 0.125", PEEK encased, 5 µm
227.6.0.188.020	62,10	Inline-filter, SS, complete, SS frit 0.188", PEEK encased, 2 µm
227.6.0.188.050	62,10	Inline-filter, SS, complete, SS frit 0.188", PEEK encased, 5 µm
227.6.1.000	44,55	Inline-filter, SS, male body only
227.6.2.000	44,55	Inline-filter, SS, female body only
227.7.0.188.005	92,00	Inline-filter, PEEK, female connector, complete, Ti frit PEEK encased, 0.5 µm
227.7.0.188.020	92,00	Inline-filter, PEEK, female connector, complete, Ti frit PEEK encased, 2 µm
227.7.0.188.050	92,00	Inline-filter, PEEK, female connector, complete, Ti frit, PEEK encased, 5 µm porosity
228.1.0.188.020	92,00	Inline-filter, PEEK, male connector, complete, PEEK frit PEEK encased, 2 µm
228.1.0.188.050	92,00	Inline-filter, PEEK, male connector, complete, PEEK frit PEEK encased, 5 µm
228.1.0.188.100	92,00	Inline-filter, PEEK, male connector, complete, PEEK frit PEEK encased, 10 µm
228.1.2.000	66,00	Inline-filter, PEEK, male connector, body only
228.1.4.000	66,00	Inline-filter, PEEK, male connector, nut only
228.7.0.188.005	92,00	Inline-filter, PEEK, male connector, complete, Ti frit PEEK encased, 0.5 µm
228.7.0.188.020	92,00	Inline-filter, PEEK, male connector, complete, Ti frit PEEK encased, 2 µm
240.750.1-025	20,63	Filter, PTFE, Last Drop economy 2.5 µm, 25 mm diam.
240.750.1-050	20,63	Filter, PTFE, Last Drop economy 5 µm, 25 mm diam.
240.750.1-100	20,63	Filter, PTFE, Last Drop economy 10 µm, 25 mm diam.

Artikel-Nr.	VK Euro	Beschreibung
240.750.6-025	29,06	Filter, SS, Last Drop economy 2 µm, 25 mm diam.
240.750.6-050	29,06	Filter, SS, Last Drop economy 5 µm, 25 mm diam.
240.750.6-100	29,06	Filter, SS, Last Drop economy 10 µm, 25 mm diam.
250.55.10.9.2000	4,69	Solvent Filter, PE, biocompatible 20 µm, replacement filter
250.55.10.9.2001	20,63	Solvent Filter, PE, biocompatible 20 µm, complete, fitting for 1/16"
250.55.10.9.2002	20,63	Solvent Filter, PE, biocompatible 20 µm, complete, fitting for 1/8"
250.55.10.9.2003	20,63	Solvent Filter, PE, biocompatible 20 µm, complete, tripod tubing connector
250.750.1-025.1	38,44	Filter, PTFE, Last Drop 2.5 µm, fittings for 1/16"
250.750.1-025.2	38,44	Filter, PTFE, Last Drop 2.5 µm, fittings for 1/8"
250.750.1-025.3	38,44	Filter, PTFE, Last Drop 2.5 µm, tripod tubing connector
250.750.1-050.1	38,44	Filter, PTFE, Last Drop 5 µm, fittings for 1/16"
250.750.1-050.2	38,44	Filter, PTFE, Last Drop 5 µm, fittings for 1/8"
250.750.1-050.3	38,44	Filter, PTFE, Last Drop 5 µm, tripod tubing connector
250.750.1-100.1	38,44	Filter, PTFE, Last Drop 10 µm, fittings for 1/16"
250.750.1-100.2	38,44	Filter, PTFE, Last Drop 10 µm, fittings for 1/8"
250.750.1-100.3	38,44	Filter, PTFE, Last Drop 10 µm, tripod tubing connector
250.750.6-020.1	38,44	Filter, SS, Last Drop 2 µm, fittings for 1/16"
250.750.6-020.2	38,44	Filter, SS, Last Drop 2 µm, fittings for 1/8"
250.750.6-020.3	38,44	Filter, SS, Last Drop 2 µm, tripod tubing connector
250.750.6-050.1	38,44	Filter, SS, Last Drop 5 µm, fittings for 1/16"
250.750.6-050.2	38,44	Filter, SS, Last Drop 5 µm, fittings for 1/8"
250.750.6-050.3	38,44	Filter, SS, Last Drop 5 µm, tripod tubing connector
250.750.6-100.1	38,44	Filter, SS, Last Drop 10 µm, fittings for 1/16"
250.750.6-100.2	38,44	Filter, SS, Last Drop 10 µm, fittings for 1/8"
250.750.6-100.3	38,44	Filter, SS, Last Drop 10 µm, tripod tubing connector
31.0001.046-71	19,00	Column, SS, endfitting 1/4" x 4.6 mm, compression, without frit
31.0005.046-71	14,18	Column, SS, endfitting 1/4" x 4.6 mm, compression, 0.5 µm frit
31.0020.046-71	14,18	Column, SS, endfitting 1/4" x 4.6 mm, compression, 2.0 µm frit
31.0050.046-71	14,18	Column, SS, endfitting 1/4" x 4.6 mm, compression, 5.0 µm frit
31.021.0003-05	8,10	Column, SS, frit cap 2.1 mm ID column, 0.5 µm
31.021.0003-20	8,10	Column, SS, frit cap 2.1 mm ID column, 2.0 µm
31.021.0005-00	13,50	Column, SS, endfitting 2.1 mm ID column
31.021.0010-51	67,50	Column, SS, packing adaptor 2.1 mm ID column
31.021.0050-20	56,70	Column, SS, 50 x 2.1 mm ID, 2 µm, complete
31.021.0075-20	59,40	Column, SS, 75 x 2.1 mm ID, 2 µm, complete
31.021.0100-20	60,75	Column, SS, 100 x 2.1 mm ID, 2 µm, complete
31.021.0150-20	65,48	Column, SS, 150 x 2.1 mm ID, 2 µm, complete
31.021.0250-20	70,20	Column, SS, 250 x 2.1 mm ID, 2 µm, complete
31.021.0300-20	74,25	Column, SS, 300 x 2.1 mm ID, 2 µm, complete
31.040.0003-05	8,10	Column, SS, frit cap 4.0 mm ID column, 0.5 µm
31.040.0003-20	8,10	Column, SS, frit cap 4.0 mm ID column, 2.0 µm
31.040.0005-00	13,50	Column, SS, endfitting 4.0 mm ID column
31.040.0010-51	87,75	Column, SS, packing adaptor 4.0 and 4.6 mm ID column
31.040.0050-20	49,28	Column, SS, 50 x 4.0 mm ID, 2 µm, complete
31.040.0075-20	50,63	Column, SS, 75 x 4.0 mm ID, 2 µm, complete
31.040.0100-20	51,98	Column, SS, 100 x 4.0 mm ID, 2 µm, complete
31.040.0150-20	55,35	Column, SS, 150 x 4.0 mm ID, 2 µm, complete
31.040.0250-20	65,48	Column, SS, 250 x 4.0 mm ID, 2 µm, complete
31.040.0300-20	71,55	Column, SS, 300 x 4.0 mm ID, 2 µm, complete
31.046.0003-05	8,10	Column, SS, frit cap 4.6 mm ID column, 0.5 µm
31.046.0003-20	8,10	Column, SS, frit cap 4.6 mm ID column, 2.0 µm
31.046.0005-00	13,50	Column, SS, endfitting 4.6 mm ID column
31.046.0020-20	46,58	Column, SS, 20 x 4.6 mm ID, 2 µm, complete
31.046.0030-20	46,58	Column, SS, 30 x 4.6 mm ID, 2 µm, complete
31.046.0050-20	47,93	Column, SS, 50 x 4.6 mm ID, 2 µm, complete
31.046.0075-20	47,93	Column, SS, 75 x 4.6 mm ID, 2 µm, complete
31.046.0100-20	49,28	Column, SS, 100 x 4.6 mm ID, 2 µm, complete
31.046.0125-20	50,63	Column, SS, 125 x 4.6 mm ID, 2 µm, complete
31.046.0150-20	51,98	Column, SS, 150 x 4.6 mm ID, 2 µm, complete
31.046.0200-20	56,70	Column, SS, 200 x 4.6 mm ID, 2 µm, complete
31.046.0250-20	59,40	Column, SS, 250 x 4.6 mm ID, 2 µm, complete
31.046.0300-20	62,10	Column, SS, 300 x 4.6 mm ID, 2 µm, complete
31.078.0003-05	11,48	Column, SS, frit cap 7.8 mm ID column, 0.5 µm
31.078.0003-20	11,48	Column, SS, frit cap 7.8 mm ID column, 2.0 µm

Artikel-Nr.	VK Euro	Beschreibung
31.078.0005-00	18,90	Column, SS, endfitting 7.8 mm ID column
31.078.0010-51	118,80	Column, SS, packing adaptor 7.8 and 10 mm ID column
31.078.0050-20	92,48	Column, SS, 50 x 7.8 mm ID, 2 µm, complete
31.078.0300-20	129,60	Column, SS, 300 x 7.8 mm ID, 2 µm, complete
31.100.0003-05	12,15	Column, SS, frit cap 10 mm ID column, 0.5 µm
31.100.0003-20	12,15	Column, SS, frit cap 10 mm ID column, 2.0 µm
31.100.0005-00	22,95	Column, SS, endfitting 10 mm ID column
31.100.0010-20	118,80	Column, SS, 10 x 10 mm ID, 2 µm, complete
31.100.0030-20	118,80	Column, SS, 30 x 10 mm ID, 2 µm, complete
31.100.0050-20	126,90	Column, SS, 50 x 10 mm ID, 2 µm, complete
31.100.0100-20	141,75	Column, SS, 100 x 10 mm ID, 2 µm, complete
31.100.0150-20	155,93	Column, SS, 150 x 10 mm ID, 2 µm, complete
31.100.0250-20	182,25	Column, SS, 250 x 10 mm ID, 2 µm, complete
31.100.0500-20	194,40	Column, SS, 500 x 10 mm ID, 2 µm, complete
31.220.0003-05	14,85	Column, SS, frit cap 22 mm ID column, 0.5 µm
31.220.0003-20	14,85	Column, SS, frit cap 22 mm ID column, 2.0 µm
31.220.0005-00	25,65	Column, SS, endfitting 22 mm ID column
31.220.0010-51	141,75	Column, SS, packing adaptor 22 mm ID column
31.220.0030-20	207,90	Column, SS, 30 x 22 mm ID, 2 µm, complete
31.220.0050-20	212,63	Column, SS, 50 x 22 mm ID, 2 µm, complete
31.220.0100-20	222,75	Column, SS, 100 x 22 mm ID, 2 µm, complete
31.220.0150-20	237,60	Column, SS, 150 x 22 mm ID, 2 µm, complete
31.220.0250-20	259,88	Column, SS, 250 x 22 mm ID, 2 µm, complete
31.220.0300-20	278,10	Column, SS, 300 x 22 mm ID, 2 µm, complete
31.220.0500-20	330,75	Column, SS, 500 x 22 mm ID, 2 µm, complete
33.021.0001-51	28,35	Column, PEEK, endfitting for 2.1 mm ID columns
33.021.0010-51	41,85	Column, PEEK, packing adapter for 2.1 mm ID columns, 1/4"-28 to 1/2"-20
33.021.0011-51	3,38	Column, PEEK, packing seal for 2.1 mm ID columns
33.021.0030-00	87,75	Column, PEEK, 30 x 2.1 mm ID, 5 µm, complete
33.021.0050-00	101,25	Column, PEEK, 50 x 2.1 mm ID, 5 µm, complete
33.021.0100-00	121,50	Column, PEEK, 100 x 2.1 mm ID, 5 µm, complete
33.021.0150-00	128,25	Column, PEEK, 150 x 2.1 mm ID, 5 µm, complete
33.021.0250-00	155,25	Column, PEEK, 250 x 2.1 mm ID, 5 µm, complete
33.021.0300-00	168,75	Column, PEEK, 300 x 2.1 mm ID, 5 µm, complete
33.021.9250-01	371,25	Column, PEEK, slurry reservoir for 2.1 mm column, 250 mm length, complete
33.030.0080-90	33,75	Column, PEEK, In-Line guard column, holder only
33.030.0080-91	101,25	Column, PEEK, In-Line guard column, complete
33.030.0080-92	10,80	Column, PEEK, guard cartridge 8 x 3 mm ID, body only
33.030.0080-94	74,25	Column, PEEK, guard cartridge 8 x 3 mm ID, complete with frits
33.030.0080-96	22,28	Column, PEEK, guard cartridge holder nut
33.030.0080-97	22,28	Column, PEEK, guard cartridge holder insert
33.030.0080-98	22,28	Column, PEEK, guard cartridge holder insert male
33.030.0080-99	101,25	Column, PEEK, In-Line guard column, male, complete
33.046.0001-51	37,13	Column, PEEK, endfitting for 4.6 mm ID columns
33.046.0010-51	41,85	Column, PEEK, packing adapter for 4.6 mm ID columns, 1/2"-20 to 5/8"-18
33.046.0011-51	7,43	Column, PEEK, packing seal for 4.6 mm ID columns
33.046.0030-00	101,25	Column, PEEK, 30 x 4.6 mm ID, 5 µm, complete
33.046.0050-00	108,00	Column, PEEK, 50 x 4.6 mm ID, 5 µm, complete
33.046.0100-00	114,75	Column, PEEK, 100 x 4.6 mm ID, 5 µm, complete
33.046.0125-00	121,50	Column, PEEK, 125 x 4.6 mm ID, 5 µm, complete
33.046.0150-00	128,25	Column, PEEK, 150 x 4.6 mm ID, 5 µm, complete
33.046.0250-00	135,00	Column, PEEK, 250 x 4.6 mm ID, 5 µm, complete
33.046.0300-00	148,50	Column, PEEK, 300 x 4.6 mm ID, 5 µm, complete
33.046.9300-01	506,25	Column, PEEK, slurry reservoir for 4.6 mm column, 300 mm length, complete
33.075.0001-51	33,75	Column, PEEK, endfitting for 7.5 mm ID columns
33.075.0007-51	16,88	Column, PEEK, frit spacer for 7.5 mm ID column
33.075.0010-51	41,85	Column, PEEK, packing adaptor 7.5 mm ID column, 5/8"-18
33.075.0011-51	16,88	Column, PEEK, packing seal for 7.5 mm ID columns
33.075.0030-00	128,25	Column, PEEK, 30 x 7.5 mm ID, 5 µm, complete
33.075.0050-00	141,75	Column, PEEK, 50 x 7.5 mm ID, 5 µm, complete
33.075.0100-00	168,75	Column, PEEK, 100 x 7.5 mm ID, 5 µm, complete
33.075.0150-00	175,50	Column, PEEK, 150 x 7.5 mm ID, 5 µm, complete
33.075.0250-00	202,50	Column, PEEK, 250 x 7.5 mm ID, 5 µm, complete
33.075.0300-00	222,75	Column, PEEK, 300 x 7.5 mm ID, 5 µm, complete

Artikel-Nr.	VK Euro	Beschreibung
33.075.9600-01	641,25	Column, PEEK, slurry reservoir for 7.5 mm column, 600 mm length, complete
41.001.006-10.1	50,00	Sample Loop, PEEK UltraT, 2 µl, Cheminert/Rheodyne, 1 µL
41.001.006-10.2	50,00	Sample Loop, PEEK UltraT, 2 µl, VICI Valco valves
41.002.006-10.1	50,00	Sample Loop, PEEK UltraT, 1 µl, Cheminert/Rheodyne, 1 µL
41.002.006-10.2	50,00	Sample Loop, PEEK UltraT, 1 µl, VICI Valco valves
41.003.006-10.1	50,00	Sample Loop, PEEK UltraT, 3 µl, Cheminert/Rheodyne, 3 µL
41.005.018-12.1	50,00	Sample Loop, PEEK UltraT, 5 µl, Cheminert/Rheodyne valves
41.005.018-12.2	50,00	Sample Loop, PEEK UltraT, 5 µl, VICI Valco valves
41.010.025-13.1	53,00	Sample Loop, PEEK UltraT, 10 µl, Cheminert/Rheodyne valves
41.010.025-13.2	53,00	Sample Loop, PEEK UltraT, 10 µl, VICI Valco valves
41.020.025-13.1	50,00	Sample Loop, PEEK UltraT, 20 µl, Cheminert/Rheodyne valves
41.020.025-13.2	50,00	Sample Loop, PEEK UltraT, 20 µl, VICI Valco valves
41.050.050-14.1	44,00	Sample Loop, PEEK, 50 µl, Cheminert/Rheodyne valves
41.050.050-14.2	44,00	Sample Loop, PEEK, 50 µl, VICI Valco valves
41.100.050-14.1	50,00	Sample Loop, PEEK, 100 µl, Cheminert/Rheodyne valves
41.100.050-14.2	50,00	Sample Loop, PEEK, 100 µl, VICI Valco valves
41.1000.075-15.1	54,00	Sample Loop, PEEK, 1000 µl, Cheminert/Rheodyne valves
41.1000.075-15.2	54,00	Sample Loop, PEEK, 1000 µl, VICI Valco valves
41.159.006.90	25,31	Tubing, PEEK, 1/16" OD x 0.064 mm ID, UltraT, natural
41.159.006.9002	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 2
41.159.006.9003	62,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 3
41.159.006.9004	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 4
41.159.006.9005	70,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 5
41.159.006.9006	74,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 6
41.159.006.9007	88,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 7
41.159.006.9008	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 8
41.159.006.9009	122,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 9
41.159.006.9010	132,00	Tubing, PEEK, FlexiTube, 1/16" x 0.064 mm ID, UltraT, type 10
41.159.013.01	13,13	Tubing, PEEK, 1/16" OD x 0.13 mm ID, striped red
41.159.013.0102	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 2
41.159.013.0103	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 3
41.159.013.0104	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 4
41.159.013.0105	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 5
41.159.013.0106	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 6
41.159.013.0107	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 7
41.159.013.0108	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 8
41.159.013.0109	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 9
41.159.013.0110	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, striped red, type 10
41.159.013.51	11,25	Tubing, PEEK, 1/16" OD x 0.13 mm ID, solid red
41.159.013.5102	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 2
41.159.013.5103	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 3
41.159.013.5104	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 4
41.159.013.5105	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 5
41.159.013.5106	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 6
41.159.013.5107	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 7
41.159.013.5108	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 8
41.159.013.5109	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 9
41.159.013.5110	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, solid red, type 10
41.159.013.91	24,38	Tubing, PEEK, 1/16" OD x 0.13 mm ID, UltraT, red
41.159.013.9102	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 2
41.159.013.9103	62,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 3
41.159.013.9104	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 4
41.159.013.9105	70,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 5
41.159.013.9106	74,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 6
41.159.013.9107	88,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 7
41.159.013.9108	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 8
41.159.013.9109	122,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 9
41.159.013.9110	132,00	Tubing, PEEK, FlexiTube, 1/16" x 0.13 mm ID, UltraT, type 10
41.159.018.02	13,13	Tubing, PEEK, 1/16" OD x 0.18 mm ID, striped yellow
41.159.018.0202	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 2
41.159.018.0203	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 3
41.159.018.0204	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 4
41.159.018.0205	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 5
41.159.018.0206	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 6

Artikel-Nr.	VK Euro	Beschreibung
41.159.018.0207	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 7
41.159.018.0208	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 8
41.159.018.0209	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 9
41.159.018.0210	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, striped yellow, type 10
41.159.018.52	11,25	Tubing, PEEK, 1/16" OD x 0.18 mm ID, solid yellow
41.159.018.5202	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 2
41.159.018.5203	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 3
41.159.018.5204	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 4
41.159.018.5205	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 5
41.159.018.5206	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 6
41.159.018.5207	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 7
41.159.018.5208	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 8
41.159.018.5209	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 9
41.159.018.5210	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, solid yellow, type 10
41.159.018.92	25,31	Tubing, PEEK, 1/16" OD x 0.18 mm ID, UltraT, yellow
41.159.018.9202	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 2
41.159.018.9203	62,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 3
41.159.018.9204	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 4
41.159.018.9205	70,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 5
41.159.018.9206	74,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 6
41.159.018.9207	88,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 7
41.159.018.9208	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 8
41.159.018.9209	122,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 9
41.159.018.9210	132,00	Tubing, PEEK, FlexiTube, 1/16" x 0.18 mm ID, UltraT, type 10
41.159.025.03	13,13	Tubing, PEEK, 1/16" OD x 0.25 mm ID, striped blue
41.159.025.0302	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 2
41.159.025.0303	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 3
41.159.025.0304	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 4
41.159.025.0305	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 5
41.159.025.0306	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 6
41.159.025.0307	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 7
41.159.025.0308	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 8
41.159.025.0309	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 9
41.159.025.0310	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, striped blue, type 10
41.159.025.53	11,25	Tubing, PEEK, 1/16" OD x 0.25 mm ID, solid blue
41.159.025.5302	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 2
41.159.025.5303	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 3
41.159.025.5304	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 4
41.159.025.5305	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 5
41.159.025.5306	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 6
41.159.025.5307	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 7
41.159.025.5308	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 8
41.159.025.5309	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 9
41.159.025.5310	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, solid blue, type 10
41.159.025.93	25,31	Tubing, PEEK, 1/16" OD x 0.25 mm ID, UltraT, blue
41.159.025.9302	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 2
41.159.025.9303	62,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 3
41.159.025.9304	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 4
41.159.025.9305	70,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 5
41.159.025.9306	74,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 6
41.159.025.9307	88,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 7
41.159.025.9308	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 8
41.159.025.9309	122,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 9
41.159.025.9310	132,00	Tubing, PEEK, FlexiTube, 1/16" x 0.25 mm ID, UltraT, type 10
41.159.050.04	13,13	Tubing, PEEK, 1/16" OD x 0.50 mm ID, striped orange
41.159.050.0402	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 2
41.159.050.0403	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 3
41.159.050.0404	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 4
41.159.050.0405	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 5
41.159.050.0406	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 6
41.159.050.0407	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 7
41.159.050.0408	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 8
41.159.050.0409	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 9
41.159.050.0410	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, striped orange, type 10

Artikel-Nr.	VK Euro	Beschreibung
41.159.050.54	13,13	Tubing, PEEK, 1/16" OD x 0.50 mm ID, solid orange
41.159.050.5402	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 2
41.159.050.5403	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 3
41.159.050.5404	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 4
41.159.050.5405	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 5
41.159.050.5406	64,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 6
41.159.050.5407	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 7
41.159.050.5408	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 8
41.159.050.5409	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 9
41.159.050.5410	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.50 mm ID, solid orange, type 10
41.159.075.05	13,13	Tubing, PEEK, 1/16" OD x 0.75 mm ID, striped green
41.159.075.0502	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 2
41.159.075.0503	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 3
41.159.075.0504	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 4
41.159.075.0505	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 5
41.159.075.0506	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 6
41.159.075.0507	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 7
41.159.075.0508	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 8
41.159.075.0509	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 9
41.159.075.0510	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, striped green, type 10
41.159.075.55	11,25	Tubing, PEEK, 1/16" OD x 0.75 mm ID, solid green
41.159.075.5502	52,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 2
41.159.075.5503	54,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 3
41.159.075.5504	56,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 4
41.159.075.5505	60,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 5
41.159.075.5506	66,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 6
41.159.075.5507	76,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 7
41.159.075.5508	92,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 8
41.159.075.5509	106,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 9
41.159.075.5510	116,00	Tubing, PEEK, FlexiTube, 1/16" x 0.75 mm ID, solid green, type 10
41.159.100.06	13,13	Tubing, PEEK, 1/16" OD x 1.0 mm ID, striped grey
41.159.140.07	13,13	Tubing, PEEK, 1/16" OD x 1.4 mm ID, striped black
41.250.075-15.1	44,00	Sample Loop, PEEK, 250 µl, Cheminert/Rheodyne valves
41.250.075-15.2	44,00	Sample Loop, PEEK, 250 µl, VICI Valco valves
41.318.075.00	36,56	Tubing, PEEK, 1/8" OD x 0.75 mm ID, natural
41.318.159.00	31,88	Tubing, PEEK, 1/8" OD x 1/16" ID, natural
41.318.200.00	21,56	Tubing, PEEK, 1/8" OD x 2.0 mm ID, natural
41.500.075-15.1	55,00	Sample Loop, PEEK, 500 µl, Cheminert/Rheodyne valves
41.500.075-15.2	55,00	Sample Loop, PEEK, 500 µl, VICI Valco valves
41.635.318.00	112,50	Tubing, PEEK, 1/4" OD x 1/8" ID, natural
42.159.018.00	2,63	Tubing, PTFE, 1/16" OD x 0.18 mm ID
42.159.025.00	2,63	Tubing, PTFE, 1/16" OD x 0.25 mm ID
42.159.025.51	4,13	Tubing, PTFE, 1/16" OD x 0.25 mm ID, blue
42.159.025.57	4,13	Tubing, PTFE, 1/16" OD x 0.25 mm ID, black
42.159.025-1	94,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.25 mm, 1 m length
42.159.025-10	391,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.25 mm, 10 m length
42.159.025-2	128,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.25 mm, 2 m length
42.159.025-20	911,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.25 mm, 20 m length
42.159.025-4	195,75	Tubing, PTFE, knitted reaction coil, 1/16" x 0.25 mm, 4 m length
42.159.050.00	2,63	Tubing, PTFE, 1/16" OD x 0.50 mm ID
42.159.050.52	4,13	Tubing, PTFE, 1/16" OD x 0.50 mm ID, orange
42.159.050.57	4,13	Tubing, PTFE, 1/16" OD x 0.50 mm ID, black
42.159.050-1	94,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.50 mm, 1 m length
42.159.050-10	391,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.50 mm, 10 m length
42.159.050-2	128,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.50 mm, 2 m length
42.159.050-20	911,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.50 mm, 20 m length
42.159.050-4	195,75	Tubing, PTFE, knitted reaction coil, 1/16" x 0.50 mm, 4 m length
42.159.075.00	2,63	Tubing, PTFE, 1/16" OD x 0.75 mm ID
42.159.075.53	4,13	Tubing, PTFE, 1/16" OD x 0.75 mm ID, green
42.159.075-1	94,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.75 mm, 1 m length
42.159.075-10	391,50	Tubing, PTFE, knitted reaction coil, 1/16" x 0.75 mm, 10 m length
42.159.075-2	128,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.75 mm, 2 m length
42.159.075-20	911,25	Tubing, PTFE, knitted reaction coil, 1/16" x 0.75 mm, 20 m length
42.159.075-4	195,75	Tubing, PTFE, knitted reaction coil, 1/16" x 0.75 mm, 4 m length

Artikel-Nr.	VK Euro	Beschreibung
42.159.100.00	2,63	Tubing, PTFE, 1/16" OD x 1.00 mm ID
42.200.170.00	4,69	Tubing, PTFE, 2.0 x 1.70 mm ID
42.318.159.00	5,16	Tubing, PTFE, 1/8" OD x 1/16" ID
42.318.240.00	10,31	Tubing, PTFE, 1/8" OD x 2.40 mm ID
42.400.300.00	6,19	Tubing, PTFE, 4.00 mm OD x 3.00 mm ID
42.476.376.00	10,78	Tubing, PTFE, 4.76 mm OD x 3.76 mm ID
42.635.475.00	27,19	Tubing, PTFE, 1/4" OD x 4.75 mm ID
43.159.050.00	5,16	Tubing, PFA, 1/16" OD x 0.50 mm ID
43.159.075.00	5,16	Tubing, PFA, 1/16" OD x 0.75 mm ID
43.159.100.00	5,16	Tubing, PFA, 1/16" OD x 1.00 mm ID
43.318.159.00	8,25	Tubing, PFA, 1/8" OD x 1/16" ID
44.159.025.00	4,22	Tubing, FEP, 1/16" OD x 0.25 mm ID
44.159.050.00	4,22	Tubing, FEP, 1/16" OD x 0.50 mm ID
44.159.075.00	4,22	Tubing, FEP, 1/16" OD x 0.75 mm ID
44.159.100.00	4,22	Tubing, FEP, 1/16" OD x 1.00 mm ID
44.318.159.00	11,25	Tubing, FEP, 1/8" OD x 1/16" ID
44.635.435.00	10,31	Tubing, FEP, 1/4" OD x 4.35 mm ID
45.080.025.00	10,31	Tubing, ETFE, 1/32" OD x 0.25 mm ID
45.159.018.00	7,50	Tubing, ETFE, 1/16" OD x 0.18 mm ID
45.159.025.00	5,16	Tubing, ETFE, 1/16" OD x 0.25 mm ID
45.159.050.00	5,16	Tubing, ETFE, 1/16" OD x 0.50 mm ID
45.159.075.00	5,16	Tubing, ETFE, 1/16" OD x 0.75 mm ID
45.159.100.00	4,22	Tubing, ETFE, 1/16" OD x 1.00 mm ID
45.318.159.00	13,41	Tubing, ETFE, 1/8" OD x 1/16" ID
46.005.018-02.1	53,00	Sample Loop, SS, 5 µl, Cheminert/Rheodyne valves
46.005.018-02.2	53,00	Sample Loop, SS, 5 µl, VICI Valco valves
46.010.025-03.1	53,00	Sample Loop, SS, 10 µl, Cheminert/Rheodyne valves
46.010.025-03.2	53,00	Sample Loop, SS, 10 µl, VICI Valco valves
46.020.025-03.1	44,00	Sample Loop, SS, 20 µl, Cheminert/Rheodyne valves
46.020.025-03.2	44,00	Sample Loop, SS, 20 µl, VICI Valco valves
46.050.050-04.1	46,00	Sample Loop, SS, 50 µl, Cheminert/Rheodyne valves
46.050.050-04.2	46,00	Sample Loop, SS, 50 µl, VICI Valco valves
46.079.018.00	11,25	Tubing, SS, 1/32" OD x 0.18 mm ID
46.100.050-04.1	50,00	Sample Loop, SS, 100 µl, Cheminert/Rheodyne valves
46.100.050-04.2	50,00	Sample Loop, SS, 100 µl, VICI Valco valves
46.1000.075-05.1	84,00	Sample Loop, SS, 1000 µl, Cheminert/Rheodyne valves
46.1000.075-05.2	84,00	Sample Loop, SS, 1000 µl, VICI Valco valves
46.159.013.00	12,38	Tubing, SS, 1/16" OD x 0.13 mm ID
46.159.013-10	8,78	Tubing, SS, precut, 1/16" x 0.13 mm, 100 mm length
46.159.013-20	11,48	Tubing, SS, precut, 1/16" x 0.13 mm, 200 mm length
46.159.013-30	12,83	Tubing, SS, precut, 1/16" x 0.13 mm, 300 mm length
46.159.013-50	16,88	Tubing, SS, precut, 1/16" x 0.13 mm, 500 mm length
46.159.018.00	11,25	Tubing, SS, 1/16" OD x 0.18 mm ID
46.159.018-10	8,78	Tubing, SS, precut, 1/16" x 0.18 mm, 100 mm length
46.159.018-20	11,48	Tubing, SS, precut, 1/16" x 0.18 mm, 200 mm length
46.159.018-30	12,83	Tubing, SS, precut, 1/16" x 0.18 mm, 300 mm length
46.159.018-50	16,88	Tubing, SS, precut, 1/16" x 0.18 mm, 500 mm length
46.159.025.00	11,25	Tubing, SS, 1/16" OD x 0.25 mm ID
46.159.025-10	8,78	Tubing, SS, precut, 1/16" x 0.25 mm, 100 mm length
46.159.025-20	11,48	Tubing, SS, precut, 1/16" x 0.25 mm, 200 mm length
46.159.025-30	12,83	Tubing, SS, precut, 1/16" x 0.25 mm, 300 mm length
46.159.025-50	16,88	Tubing, SS, precut, 1/16" x 0.25 mm, 500 mm length
46.159.050.00	11,25	Tubing, SS, 1/16" OD x 0.50 mm ID
46.159.050-10	8,78	Tubing, SS, precut, 1/16" x 0.50 mm, 100 mm length
46.159.050-20	11,48	Tubing, SS, precut, 1/16" x 0.50 mm, 200 mm length
46.159.050-30	12,83	Tubing, SS, precut, 1/16" x 0.50 mm, 300 mm length
46.159.050-50	16,88	Tubing, SS, precut, 1/16" x 0.50 mm, 500 mm length
46.159.075.00	8,25	Tubing, SS, 1/16" OD x 0.75 mm ID
46.159.075-10	8,78	Tubing, SS, precut, 1/16" x 0.75 mm, 100 mm length
46.159.075-20	11,48	Tubing, SS, precut, 1/16" x 0.75 mm, 200 mm length
46.159.075-30	12,83	Tubing, SS, precut, 1/16" x 0.75 mm, 300 mm length
46.159.075-50	16,88	Tubing, SS, precut, 1/16" x 0.75 mm, 500 mm length
46.159.100.00	8,25	Tubing, SS, 1/16" OD x 1.00 mm ID
46.159.100-10	8,78	Tubing, SS, precut, 1/16" x 1.0 mm, 100 mm length

Artikel-Nr.	VK Euro	Beschreibung
46.159.100-20	11,48	Tubing, SS, precut, 1/16" x 1.0 mm, 200 mm lenght
46.159.100-30	12,83	Tubing, SS, precut, 1/16" x 1.0 mm, 300 mm lenght
46.159.100-50	16,88	Tubing, SS, precut, 1/16" x 1.0 mm, 500 mm lenght
46.2000.100-06.1	98,00	Sample Loop, SS, 2 ml, Cheminert/Rheodyne
46.2000.100-06.2	98,00	Sample Loop, SS, 2 ml, VICI Valco valves
46.250.075-05.1	55,00	Sample Loop, SS, 250 µl, Cheminert/Rheodyne valves
46.250.075-05.2	55,00	Sample Loop, SS, 250 µl, VICI Valco valves
46.318.159.00	7,31	Tubing, SS, 1/8" OD x 1/16" ID
46.318.210.00	7,31	Tubing, SS, 1/8" OD x 2,1 mm ID
46.500.075-05.1	66,00	Sample Loop, SS, 500 µl, Cheminert/Rheodyne valves
46.500.075-05.2	66,00	Sample Loop, SS, 500 µl, VICI Valco valves
46.5000.100-06.1	218,00	Sample Loop, SS, 5 ml, Cheminert/Rheodyne
46.5000.100-06.2	218,00	Sample Loop, SS, 5 ml, VICI Valco valves
46.635.460.00	27,19	Tubing, SS, 1/4" OD x 4.6 mm ID
500.0100-00	881,25	Kit, Chromkit high-pressure, standard
500.0200-00	384,38	Kit, Chromkit PEEK, standard
500.0700-00	309,38	Kit, low-pressure flangeless, standard
51.1.1.04020-01	110,00	Nut, PEEK, Black Line 1/4-28, 2 mm capillary, 10 pcs/pkg
51.1.1.04030-01	110,00	Nut, PEEK, Black Line 1/4-28, 3 mm and 1/8" capillary, 10 pcs/pkg
51.1.1.04030-03	88,00	Ferrule, ETFE, Black Line 1/4-28, 3 mm capillary, 10 pcs/pkg
51.1.1.04062-01	110,00	Nut, PEEK, Black Line 1/4-28, 1/16" capillary, 10 pcs/pkg
51.1.1.04125-03	88,00	Ferrule, ETFE, Black Line 1/4-28, 1/8" capillary, 10 pcs/pkg
51.1.1.06020-01	110,00	Nut, PEEK, Black Line M6, 2 mm capillary, 10 pcs/pkg
51.1.1.06020-03	88,00	Ferrule, ETFE, Black Line M6, 2 mm capillary, 10 pcs/pkg
51.1.1.06030-01	110,00	Nut, PEEK, Black Line M6, 3 mm capillary, 10 pcs/pkg
51.1.1.06030-03	88,00	Ferrule, ETFE, Black Line M6, 3 mm capillary, 10 pcs/pkg
51.1.1.06062-01	110,00	Nut, PEEK, Black Line M6, 1/16" capillary, 10 pcs/pkg
51.1.1.06062-03	88,00	Ferrule, ETFE, Black Line M6, 1/16" capillary, 10 pcs/pkg
51.1.1.062.100	110,00	Fitting, PEEK, Black Line one-piece fingertight, 10-32, 10 pcs/pkg
51.1.1.062.150	110,00	Fitting, PEEK, Black Line one-piece fingertight small-head, 10-32, 10 pcs/pkg, 10 pcs/pkg
51.1.1.062.200	110,00	Fitting, PEEK, Black Line one-piece hex head, 10-32, 10 pcs/pkg
51.1.1.062.240	110,00	Fitting, PEEK, Black Line one-piece fingertight narrow hex-head, 10-32, 10 pcs/pkg
51.1.1.062.300	110,00	Fitting, PEEK, Black Line one-piece wing 10-32, 10 pcs/pkg
51.1.200400-00	108,00	Plug, PEEK, Black Line 10-32, 10 pcs/pkg
51.1.200500-00	108,00	Plug, PEEK, Black Line 1/4-28, 10 pcs/pkg
51.1.20062.05-00	88,00	Union, PEEK, 10-32, bore 0.50 mm, body only, 2 pcs/pkg
51.1.20062.05-01	154,00	Union, PEEK, 10-32, bore 0.50 mm, complete, 2 pcs/pkg
51.1.21125.10-00	110,00	Union, PEEK, 1/4-28, bore 1.0 mm, body only, 2 pcs/pkg
51.1.21125.10-01	154,00	Union, PEEK, 1/4-28, bore 1.0 mm, complete for 1/16" capillary, 2 pcs/pkg
51.1.21125.10-02	154,00	Union, PEEK, 1/4-28, bore 1.0 mm, complete for 1/8" capillary, 2 pcs/pkg
51.1.30062.05-00	130,00	TEE, PEEK, 10-32, bore 0.50 mm, body only, 2 pcs/pkg
51.1.30062.05-01	164,00	TEE, PEEK, 10-32, bore 0.50 mm, complete, 2 pcs/pkg
51.1.31125.10-00	130,00	TEE, PEEK, 1/4-28, bore 1.0 mm, body only, 2 pcs/pkg
51.1.31125.10-01	196,00	TEE, PEEK, 1/4-28, bore 1.0 mm, complete for 1/16" capillary, 2 pcs/pkg
51.1.31125.10-02	196,00	TEE, PEEK, 1/4-28, bore 1.0 mm, complete for 1/8" capillary, 2 pcs/pkg
51.1.40062.05-00	130,00	Cross, PEEK, 10-32, bore 0.50 mm, body only, 2 pcs/pkg
51.1.40062.05-01	157,00	Cross, PEEK, 10-32, bore 0.50 mm, complete, 2 pcs/pkg
51.1.41125.10-00	154,00	Cross, PEEK, 1/4-28, bore 1.0 mm, body only, 2 pcs/pkg
51.1.41125.10-01	240,00	Cross, PEEK, 1/4-28, bore 1.0 mm, complete for 1/16" capillary, 2 pcs/pkg
51.1.41125.10-02	240,00	Cross, PEEK, 1/4-28, bore 1.0 mm, complete for 1/8" capillary, 2 pcs/pkg
51.2.1.04020-03	88,00	Ferrule, ETFE, Black Line 1/4-28, 2 mm capillary, 10 pcs/pkg
51.2.1.04062-03	88,00	Ferrule, ETFE, Black Line 1/4-28, 1/16" capillary, 10 pcs/pkg
51.2.21125.10-00	110,00	Union, PEEK, reducing, 10-32 to 1/4-28, bore 1.0 mm, body only, 2 pcs/pkg
51.2.21125.10-01	130,00	Union, PEEK, reducing, 10-32 to 1/4-28, bore 1.0 mm, complete, 2 pcs/pkg
51.2.31125.10-00	130,00	TEE, PEEK, reducing, 2 x 10-32 to 1/4-28, bore 1.0 mm, body only, 2 pcs/pkg
51.2.31125.10-01	164,00	TEE, PEEK, reducing, 2 x 10-32 to 1/4-28, bore 1.0 mm, complete, 2 pcs/pkg
51.8.1.04020-02	88,00	Nut, POM, Black Line 1/4-28, 2 mm capillary, 10 pcs/pkg
51.8.1.04030-02	88,00	Nut, POM, Black Line 1/4-28, 3 mm and 1/8" capillary, 10 pcs/pkg
51.8.1.04062-02	88,00	Nut, POM, Black Line 1/4-28, 1/16" capillary, 10 pcs/pkg
51.8.1.06020-02	88,00	Nut, POM, Black Line M6, 2 mm capillary, 10 pcs/pkg
51.8.1.06030-02	88,00	Nut, POM, Black Line M6, 3 mm capillary, 10 pcs/pkg
51.8.1.06062-02	88,00	Nut, POM, Black Line M6, 1/16" capillary, 10 pcs/pkg
51.8.2106.10-00	110,00	Union, POM, M6, bore 1.0 mm, body only, 2 pcs/pkg
51.8.2106.10-01	154,00	Union, POM, M6, bore 1.0 mm, complete for 1/16" capillary, 2 pcs/pkg

Artikel-Nr.	VK Euro	Beschreibung
51.8.2106.10-02	154,00	Union, POM, M6, bore 1.0 mm, complete for 3 mm capillary, 2 pcs/pkg
51.8.2106.10-03	154,00	Union, POM, M6, bore 1.0 mm, complete for 2 mm capillary, 2 pcs/pkg
51.8.3106.10-00	110,00	TEE, POM, M6, bore 1.0 mm, body only, 2 pcs/pkg
51.8.3106.10-01	154,00	TEE, POM, M6, bore 1.0 mm, complete for 1/16" capillary, 2 pcs/pkg
51.8.3106.10-02	154,00	TEE, POM, M6, bore 1.0 mm, complete for 3 mm capillary, 2 pcs/pkg
51.8.3106.10-03	154,00	TEE, POM, M6, bore 1.0 mm, complete for 2 mm capillary, 2 pcs/pkg
52.1.1.062.100	10,31	Fitting, PEEK, one-piece fingertight, 10-32
52.1.1.062.110	10,31	Fitting, PEEK, one-piece fingertight long, 10-32
52.1.1.062.190	10,31	Fitting, PEEK, one-piece fingertight short head, 10-32
52.1.1.062.210	9,38	Fitting, PEEK, one-piece hex-head long, 10-32
52.1.1.062.220	9,38	Fitting, PEEK, one-piece hex-head short, 10-32
52.1.1.062.240	10,31	Fitting, PEEK, one-piece fingertight narrow hex-head, 10-32
52.1.1.062-500	8,25	Fitting, PEEK, one-piece natural combi-head, 10-32
52.1.1.062-501	8,25	Fitting, PEEK, one-piece red combi-head, 10-32
52.1.1.062-502	8,25	Fitting, PEEK, one-piece yellow combi-head, 10-32
52.1.1.062-503	8,25	Fitting, PEEK, one-piece blue combi-head, 10-32
52.1.1.062-505	8,25	Fitting, PEEK, one-piece green combi-head, 10-32
52.1.1.062-507	8,25	Fitting, PEEK, one-piece black combi-head, 10-32
53.1.0401.13	41,85	Adapter, PEEK, 10-32 female to female Luer, 1.3 mm bore
53.1.0405.03	41,85	Adapter, PEEK, 10-32 female to 1/4-28 female, 0.25 mm bore
53.1.0451.13	41,85	Adapter, PEEK, 10-32 female to male Luer, 1.3 mm bore
53.1.0455.04	41,85	Adapter, PEEK, 10-32 female to 1/4-28 male, 0.4 mm bore
53.1.0456.04	41,85	Adapter, PEEK, 10-32 female to M6 male, 0.4 mm bore
53.1.0457.04	41,85	Adapter, PEEK, 10-32 female to Waters male, 0.4 mm bore
53.1.0501.13	41,85	Adapter, PEEK, 1/4-28 female to female Luer, 1.3 mm bore
53.1.0551.13	41,85	Adapter, PEEK, 1/4-28 female to male Luer, 1.3 mm bore
53.1.0554.04	41,85	Adapter, PEEK, 1/4-28 female to 10-32 male, 0.4 mm bore
53.1.0556.04	41,85	Adapter, PEEK, 1/4-28 female to M6 male, 0.4 mm bore
53.1.0557.04	41,85	Adapter, PEEK, 1/4-28 female to Waters male, 0.4 mm bore
53.1.0601.13	41,85	Adapter, PEEK, M6 female to female Luer, 1.3 mm bore
53.1.0651.13	41,85	Adapter, PEEK, M6 female to male Luer, 1.3 mm bore
53.1.0654.04	41,85	Adapter, PEEK, M6 female to 10-32 male, 0.4 mm bore
53.1.0655.04	41,85	Adapter, PEEK, M6 female to 1/4-28 male, 0.4 mm bore
53.1.0657.04	41,85	Adapter, PEEK, M6 female to Waters male, 0.4 mm bore
53.1.0754.04	41,85	Adapter, PEEK, Waters female to 10-32 male, 0.4 mm bore
53.1.0755.04	41,85	Adapter, PEEK, Waters female to 1/4-28 male, 0.4 mm bore
53.1.0756.04	41,85	Adapter, PEEK, Waters female to M6 male, 0.4 mm bore
53.1.0757.04	41,85	Adapter, PEEK, Waters female to Waters male, 0.4 mm bore
53.1.200400-00	8,25	Plug, PEEK, 10-32
53.1.200500-00	8,25	Plug, PEEK, 1/4-28
53.1.200600-00	8,25	Plug, PEEK, M6
53.1.2310.001	35,63	Coupler, PEEK, universal, 0.13 mm ID, red PP sleeve
53.1.2310.002	35,63	Coupler, PEEK, universal, 0.18 mm ID, yellow PP sleeve
53.1.2310.003	35,63	Coupler, PEEK, universal, 0.25 mm ID, blue PP sleeve
53.1.2310.004	35,63	Coupler, PEEK, universal, 0.50 mm ID, orange PP sleeve
53.11.200400-00	0,84	Plug, Nylon, column endstopper white, 10-32
53.11.200400-01	0,84	Plug, Nylon, column endstopper red, 10-32
53.11.200400-02	0,84	Plug, Nylon, column endstopper yellow, 10-32
53.11.200400-03	0,84	Plug, Nylon, column endstopper blue, 10-32
53.11.200400-05	0,84	Plug, Nylon, column endstopper green, 10-32
53.11.200400-07	0,84	Plug, Nylon, column endstopper black, 10-32
53.9.20.1225	2,97	Adapter, PP, 3/32" barbed to M6 male
53.9.200101	4,13	Adapter, PP, female to female Luer
53.9.200111	4,13	Adapter, PP, female Luer to 1/16" barbed
53.9.200112	4,13	Adapter, PP, female Luer to 3/32" barbed
53.9.200113	4,13	Adapter, PP, female Luer to 1/8" barbed
53.9.200124	4,13	Adapter, PP, female Luer to 10-32 male
53.9.200125	4,13	Adapter, PP, female Luer to 1/4-28 female
53.9.200211	4,13	Adapter, PP, male Luer to 1/16" barbed
53.9.200212	4,13	Adapter, PP, male Luer to 3/32" barbed
53.9.200213	4,13	Adapter, PP, male Luer to 1/8" barbed
53.9.200224	4,13	Adapter, PP, male Luer to 10-32 male
53.9.200225	4,13	Adapter, PP, male Luer to 1/4-28 female
53.9.200226	4,13	Adapter, PP, male Luer to 1/4-28 male

Artikel-Nr.	VK Euro	Beschreibung
53.9.200350	2,63	Plug, PP, male Luer
53.9.201111	4,13	Adapter, PP, barbed connector 1/16"
53.9.201112	4,13	Adapter, PP, barbed connector 3/32"
53.9.201113	4,13	Adapter, PP, barbed connector 1/8"
53.9.201211	4,13	Adapter, PP, barbed connector 3/32" to 1/16"
53.9.201311	4,13	Adapter, PP, barbed connector 1/16" to 1/8"
53.9.201312	4,13	Adapter, PP, barbed connector 3/32" to 1/8"
53.9.309411	3,75	TEE, PP, barbed for 1/16" tubing
53.9.309412	3,75	TEE, PP, barbed for 3/32" tubing
53.9.309413	3,75	TEE, PP, barbed for 1/8" tubing
53.9.309516	3,75	TEE, PP, barbed 2 x 1/16" to 3/32" tubing
53.9.309517	3,75	TEE, PP, barbed 2 x 1/16" to 1/8" tubing
53.9.309518	3,75	TEE, PP, barbed 2 x 2/32" to 1/16" tubing
53.9.309911	3,09	TEE, PP, Y-formed barbed 1/16" tubing
53.9.309912	3,09	TEE, PP, Y-formed barbed 3/32" tubing
53.9.309913	3,09	TEE, PP, Y-formed barbed 1/8" tubing
55.1.20062.03-00	12,38	Union, PEEK, 10-32, bore 0.3 mm, body only
55.1.20062.03-01	33,75	Union, PEEK, 10-32, bore 0.3 mm, complete
55.1.21125.08-00	16,50	Union, PEEK, 1/4-28, bore 0.8 mm, body only
55.1.21125.08-01	37,50	Union, PEEK, 1/4-28, bore 0.8 mm, complete
55.1.21125.15-00	16,50	Union, PEEK, 1/4-28, bore 1.5 mm, body only
55.1.21125.15-01	37,50	Union, PEEK, 1/4-28, bore 1.5 mm, complete
55.1.30062.03-00	80,63	TEE, PEEK, 10-32, bore 0.3 mm, body only
55.1.30062.03-01	97,50	TEE, PEEK, 10-32, bore 0.3 mm, complete
55.1.31125.08-00	65,63	TEE, PEEK, 1/4-28, bore 0.8 mm, body only
55.1.31125.08-01	78,75	TEE, PEEK, 1/4-28, bore 0.8 mm, complete
55.1.31125.15-00	65,63	TEE, PEEK, 1/4-28, bore 1.5 mm, body only
55.1.31125.15-01	78,75	TEE, PEEK, 1/4-28, bore 1.5 mm, complete
55.1.40062.03-00	121,88	Cross, PEEK, 10-32, bore 0.3 mm, body only
55.1.40062.03-01	147,19	Cross, PEEK, 10-32, bore 0.3 mm, complete
55.1.41125.08-00	65,63	Cross, PEEK, 1/4-28, bore 0.8 mm, body only
55.1.41125.08-01	92,81	Cross, PEEK, 1/4-28, bore 0.8 mm, complete
55.1.41125.15-00	65,63	Cross, PEEK, 1/4-28, bore 1.5 mm, body only
55.1.41125.15-01	82,50	Cross, PEEK, 1/4-28, bore 1.5 mm, complete
55.6.20062.02-01	80,00	Union, SS, 10-32, bore 0.15 mm, complete
55.6.20062.05-00	55,00	Union, SS, 10-32, bore 0.5 mm, body only
55.6.20062.05-01	65,00	Union, SS, 10-32, bore 0.5 mm, complete
55.6.20062.08-00	55,00	Union, SS, 10-32, bore 0.8 mm, body only
55.6.20062.08-01	65,00	Union, SS, 10-32, bore 0.8 mm, complete
55.6.30062.03-00	135,00	TEE, SS, 10-32, bore 0.25 mm, body only
55.6.30062.05-00	110,00	TEE, SS, 10-32, bore 0.50 mm, body only
55.6.30062.05-01	135,00	TEE, SS, 10-32, bore 0.50 mm, complete
55.6.40062.03-00	170,00	Cross, SS, 10-32, bore 0.25 mm, body only
55.6.40062.03-01	210,00	Cross, SS, 10-32, bore 0.25 mm, complete
55.8.20125.00-00	3,66	Union, Nylon, 1/4-28, body only
57.10.2.062.77	8,10	Nut, PPS, for collaps. ferrule 1/16", 1/4"-28
57.10.2.062.78	8,10	Nut, PPS, flangeless, 1/16", 1/4"-28
57.10.2.062.79	8,10	Nut, PPS, flanged design 1/16", 1/4"-28
57.10.2.125.77	8,10	Nut, PPS, for collaps. ferrule 1/8", 1/4"-28
57.10.2.125.78	8,10	Nut, PPS, flangeless, 1/8", 1/4"-28
57.10.2.125.79	8,10	Nut, PPS, flanged design 1/8", 1/4"-28
57.9.2.062.40	2,06	Nut, PP, flanged white 1/16", 1/4-28
57.9.2.062.41	2,06	Nut, PP, flanged red 1/16", 1/4-28
57.9.2.062.42	2,06	Nut, PP, flanged yellow 1/16", 1/4-28
57.9.2.062.43	2,06	Nut, PP, flanged blue 1/16", 1/4-28
57.9.2.062.45	2,06	Nut, PP, flanged green 1/16", 1/4-28
57.9.2.062.47	2,06	Nut, PP, flanged black 1/16", 1/4-28
57.9.2.062.90	1,13	Washer, PP, for flanged nut 1/16"
57.9.2.125.40	2,06	Nut, PP, flanged white 1/8", 1/4-28
57.9.2.125.41	2,06	Nut, PP, flanged red 1/8", 1/4-28
57.9.2.125.42	2,06	Nut, PP, flanged yellow 1/8", 1/4-28
57.9.2.125.43	2,06	Nut, PP, flanged blue 1/8", 1/4-28
57.9.2.125.45	2,06	Nut, PP, flanged green 1/8", 1/4-28
57.9.2.125.47	2,06	Nut, PP, flanged black 1/8", 1/4-28

Artikel-Nr.	VK Euro	Beschreibung
57.9.2.125.90	1,13	Washer, PP, for flanged nut 1/8"
57.9.500.00	1,28	Adapter, PP, fingertight sleeve, natural
57.9.500.01	1,28	Adapter, PP, fingertight sleeve, red
57.9.500.02	1,28	Adapter, PP, fingertight sleeve, yellow
57.9.500.03	1,28	Adapter, PP, fingertight sleeve, blue
57.9.500.04	1,28	Adapter, PP, fingertight sleeve, orange
57.9.500.05	1,28	Adapter, PP, fingertight sleeve, green
57.9.500.06	1,28	Adapter, PP, fingertight sleeve, dark grey
57.9.500.07	1,28	Adapter, PP, fingertight sleeve, black
57.9.500.08	1,28	Adapter, PP, fingertight sleeve, brown
57.9.500.09	1,28	Adapter, PP, fingertight sleeve, purple
57.9.500.10	1,28	Adapter, PP, fingertight sleeve, rosa
58.1.1.062.100	8,80	Nut, PEEK, fingertight for double ferrule, 10-32
58.1.1.062.160	8,80	Nut, PEEK, fingertight for single ferrule, 10-32
58.1.1.062.210	8,80	Nut, PEEK, hex-head long for double ferrule, 10-32
58.1.1.062.220	8,80	Nut, PEEK, hex-head short for double ferrule, 10-32
58.1.2.062.40	11,00	Nut, PEEK, flangeless natural 1/16", 1/4-28
58.1.2.062.41	11,00	Nut, PEEK, flangeless red 1/16", 1/4-28
58.1.2.062.42	11,00	Nut, PEEK, flangeless yellow 1/16", 1/4-28
58.1.2.062.43	11,00	Nut, PEEK, flangeless blue 1/16", 1/4-28
58.1.2.062.45	11,00	Nut, PEEK, flangeless green 1/16", 1/4-28
58.1.2.062.47	11,00	Nut, PEEK, flangeless black 1/16", 1/4-28
58.1.2.125.40	11,00	Nut, PEEK, flangeless natural 1/8", 1/4-28
58.1.2.125.41	11,00	Nut, PEEK, flangeless red 1/8", 1/4-28
58.1.2.125.42	11,00	Nut, PEEK, flangeless yellow 1/8", 1/4-28
58.1.2.125.43	11,00	Nut, PEEK, flangeless blue 1/8", 1/4-28
58.1.2.125.45	11,00	Nut, PEEK, flangeless green 1/8", 1/4-28
58.1.2.125.47	11,00	Nut, PEEK, flangeless black 1/8", 1/4-28
58.6.1.062.100	44,00	Nut, SS, fingertight for double ferrule, 10-32
58.6.1.062.140	42,00	Nut, SS, fingertight, narrow, 10-32
58.6.1.062.210	7,50	Nut, SS, long head, Rheodyne, 10-32
58.6.1.062.220	7,50	Nut, SS, short, Rheodyne, 10-32
58.6.1.062.2300	9,38	Nut, SS, extra long, Rheodyne, 10-32
58.8.2.062.41	1,50	Nut, Delrin, flangeless 1/16", red, 1/4-28
58.8.2.062.42	1,50	Nut, Delrin, flangeless 1/16", yellow, 1/4-28
58.8.2.062.43	1,50	Nut, Delrin, flangeless 1/16", blue, 1/4-28
58.8.2.062.45	1,50	Nut, Delrin, flangeless 1/16", green, 1/4-28
58.8.2.062.47	1,50	Nut, Delrin, flangeless 1/16", black, 1/4-28
58.8.2.062.48	1,50	Nut, Delrin, flangeless 1/16", white, 1/4-28
58.8.2.062.4X	15,00	Nut, Delrin, flangeless 1/16", mixed, 1/4-28, 10pcs/pkg
58.8.2.125.41	1,50	Nut, Delrin, flangeless 1/8", red, 1/4-28
58.8.2.125.42	1,50	Nut, Delrin, flangeless 1/8", yellow, 1/4-28
58.8.2.125.43	1,50	Nut, Delrin, flangeless 1/8", blue, 1/4-28
58.8.2.125.45	1,50	Nut, Delrin, flangeless 1/8", green, 1/4-28
58.8.2.125.47	1,50	Nut, Delrin, flangeless 1/8", black, 1/4-28
58.8.2.125.48	1,50	Nut, Delrin, flangeless 1/8", white, 1/4-28
58.8.2.125.4X	15,00	Nut, Delrin, flangeless 1/8", mixed, 1/4-28, 10pcs/pkg
59.1.0.062.00	4,13	Ferrule, PEEK, single, 1/16"
59.1.0.062.10	8,25	Ferrule, PEEK, solid cone, 10-32
59.1.0.062.20	4,13	Ferrule, PEEK, double, 1/16"
59.1.0.062.30	4,13	Ferrule, PEEK, special, 1/16"
59.1.1.125.00	2,06	Ferrule, PEEK, single, 1/8"
59.2.1.062.00	1,59	Ferrule, PTFE, single, 1/16"
59.2.2.062.00	8,91	Ferrule, PTFE, reducing, 1/8" - 1/16"
59.5.1.062.00	3,28	Ferrule, ETFE, single, 1/16"
59.5.1.125.00	2,53	Ferrule, ETFE, single, 1/8"
59.6.0.062.00	3,66	Ferrule, SS, single, 1/16"
59.6.0.062.20	5,91	Ferrule, SS, single, 1/16", 2-step Rheodyne
70.0010.001	28,13	Tool, Clean-Cut Tubing Cutter
70.0010.002	3,75	Tool, replacement blade for 70.0010.001
70.0020.001	14,06	Tool, Guillotine Cutter for polymer tubing
70.0020.002	5,16	Tool, replacement blade for 70.0020.001
70.0030.001	103,13	Tool, tubing cutter for metal tubing
70.0030.002	19,69	Tool, replacement cutting wheel for 70.0030.001

Artikel-Nr.	VK Euro	Beschreibung
70.0050.001	35,63	Tool, Tubing Plier for metal tubing
70.0070.001	80,63	Tool, Tungsten Carbide Glass Knife
70.0070.002	35,63	Tool, Tungsten Carbide Glass Knife, replacement blade
70.0100.001	271,88	Flangy, kit in plastic case
70.0100.002	318,75	Flangy, combi kit in plastic case
70.0100.105	41,25	Flangy, flanging disc with 0.5 mm SS pin for PEEK tubing
70.0100.108	28,13	Flangy, flanging disc with 0.8 mm polymer pin
70.0100.110	35,63	Flangy, flanging disc with 1.0 mm polymer pin
70.0100.113	28,13	Flangy, flanging disc with 1.3 mm polymer pin
70.0100.115	28,13	Flangy, flanging disc with 1.5 mm polymer pin
70.0100.308	35,63	Flangy, flanging disc with 0.8 mm Titanium pin
70.0100.313	35,63	Flangy, flanging disc with 1.3 mm Titanium pin
70.0101.010	118,13	Flangy, clamp pair. Spare part for 70.0100.005
71.003.001	5,50	GasT, Kel-F, Insert
71.003.005	29,00	GasT, PP, fittings kit (2 complete sets)
71.003.005-01	29,00	GasT, PP, fittings kit (2 complete sets), red
71.003.125.015	26,00	GasT, tubing 1/8" x 1.65 mm ID
71.0080.01	42,00	Tool, Valvetool, wrench 1/4" and 5/16"
71.060.080	12,15	Tool, open wrench 6 x 8 mm
71.250.312.01	11,48	Tool, open wrench 1/4" x 5/16"
71.375.434.01	16,88	Tool, open wrench 3/8" x 7/16"
71.500.030	12,15	Tool, hex-wrench (1.5 - 2.0 - 3.0 mm)
71.802.01	12,15	Tool, file
71.806.01	9,45	Tool, Tweezers, Polypropylen, Pinzette
71.819.01	118,00	Tool, drill set incl holder
73.0000.01	5,16	Bottlecap, PE, solid, GL-45
73.0000.02	2,00	Bottlecap, PE, pouring ring, GL- 45, blue
73.0000.10	9,00	Bottlecap, PE, modified for PTFE insert, GL-45
73.0000.15	46,88	Bottlecap, PE, including PTFE insert, GL-45
73.0100.00	84,00	Bottle, Glas, safety-coated 1 L with solid cap
73.0100.15	130,00	Bottle, Glas, Kit 1 L with PTFE bottle cap
73.0200.00	104,00	Bottle, Glas, safety-coated 2 L with solid cap
73.0200.15	170,00	Bottle, Glas, Kit 2 L with PTFE bottle cap
74.0001.001	4,69	Tool, tubing holder
74.0010.090	2,81	Tool, Tubing knee 90°
74.0010.180	2,81	Tool, Tubing knee 180°
89.1.0100.20	776,25	Valve, PEEK, analytical injection
89.1.0100.91	351,00	Valve, PEEK, PEEK stator for 89.1.0100.20
89.1.0100.92	114,75	Valve, PEEK, PEEK rotor seal for 89 injector series
89.1.0100.93	126,90	Valve, PEEK, ceramic stator face for 89.1.0100.20
89.1.0100.94	29,70	Valve, PEEK, PTFE needle seal for 89 injector series
89.1.0100.95	81,00	Valve, PEEK, PEEK face packing for 89.1.0100.20
89.1.0100.96	25,65	Valve, PEEK, PTFE needle port for 89 injector series
89.1.0100.97	22,28	Valve, PEEK, setscrew 3.0 mm, 10 pack
89.1.0100.98	87,75	Valve, PEEK, PEEK/PTFE needle #22, 0.5 mm ID
89.1.0204.00	675,00	Valve, PEEK, analytical, 2 position 4 port (1/4"-28 connections)
89.1.0204.91	398,25	Valve, PEEK, PEEK stator for 89.1.0204.00
89.1.0204.92	114,75	Valve, PEEK, PEEK rotor seal for 89.1.0204.00
89.1.0204.93	112,05	Valve, PEEK, carbon-fiber PEEK stator face for 89.1.0204.00
89.1.0204.97	22,28	Valve, PEEK, setscrew 2.5 mm, 10 pack
89.1.0206.00	675,00	Valve, PEEK, analytical, 2 position 6 port
89.1.0206.91	351,00	Valve, PEEK, PEEK stator for 89.1.0206.00
89.1.0206.92	114,75	Valve, PEEK, PEEK rotor seal for 6 port valves
89.1.0206.93	126,90	Valve, PEEK, ceramic stator face for 89.1.0206.00
89.6.0100.20	877,50	Valve, SS, analytical injection
89.6.0100.91	303,75	Valve, SS, SS stator for 89.6.0100.20
89.6.0100.93	128,25	Valve, SS, ceramic stator face for 89.6.0100.20
89.6.0100.98	22,28	Valve, SS, SS #22 needle, 0.5 mm ID
89.6.0204.00	513,00	Valve, SS, analytical, 2 position 4 port
89.6.0204.91	303,75	Valve, SS, SS stator for 89.6.0204.00
89.6.0204.92	114,75	Valve, SS, PEEK rotor seal for 89.6.0204.00
89.6.0206.00	513,00	Valve, SS, analytical, 2 position 6 port
89.6.0206.91	303,75	Valve, SS, SS stator for 89.6.0206.00
91.000.03	297,00	Solvent Recycler, Replacement Valve Kel-F

Artikel-Nr.	VK Euro	Beschreibung
91.000.05	7,43	Solvent Recycler, Instruction Manual
91.000.10	22,28	Solvent Recycler, Powercord
91.000.11	22,28	Solvent Recycler, Signalcord with 9-pin connector
91.000.13	3,71	Solvent Recycler, Fuse 20 x 5 mm, 250 V 100 mA
91.000.14	3,71	Solvent Recycler, Fuse 20 x 5 mm, 120 V 250 mA
91.000.93	17,00	Solvent Recycler, Polypropylen Flange-Fittings and support rings (5 piece each)
91.100.01	2.193,75	Solvent Recycler, complete, 100 V
91.100.02	2.963,25	Solvent Recycler, incl. second wash-valve, complete, 100 V
91.110.01	2.058,75	Solvent Recycler, complete, 110 V
91.110.02	2.828,25	Solvent Recycler, incl. second wash-valve, complete, 110 V
91.230.01	2.058,75	Solvent Recycler, complete, 230 V
91.230.02	2.828,25	Solvent Recycler, incl. second wash-valve, complete, 230 V
91.750.01	2.153,25	Solvent Degasser, low volume analytical 1-channel, 100 - 240 V
91.750.02	2.497,50	Solvent Degasser, low volume analytical 2-channel, 100 - 240 V
91.750.03	2.767,50	Solvent Degasser, low volume analytical 3-channel, 100 - 240 V
91.750.04	3.098,25	Solvent Degasser, low volume analytical 4-channel, 100 - 240 V
99.55016.12	26,25	Adapter, PP, fingertight sleeve, Multi Color, 12 pcs/pk
99.FLPPB-1.5	25,65	Checkvalve, Delrin, Luer to Luer, 0.1 bar
Jour-ZF1S6	4,05	Ferrule, SS, Valco type, 1/16"
Jour-ZF2S6	4,46	Ferrule, SS, 1/8"
Jour-ZN1	3,71	Nut, SS, Valco type, 1/16"
Jour-ZN2	5,06	Nut, SS, Valco type, 1/8"